

AIM

Mounting	Pendant
Type of ceiling pendant	Suspension cable
Lamps description	1 MULTICHIP LED 2700K 1250lm CRI 90 - 16W
Environment	Indoor
Finish	Anodized brown, White, Black
Technical description	Suspended light fitting. Body in varnished aluminium sheet, shade in photo-etched optical polycarbonate. Internal reflector in photo-etched ABS. Directionable body. Powered directly from mains. The LED can be dimmed with a «Triac for Led» dimmer approved by Flos. Flos does not respond in case of wrong electrical connection system installations. The cable has a useful length of 9 metres and thus the lamp can be suspended 3 metres from the ceiling. Multiple rose with capacity to connect up to 5 Aims also available.

ELECTRICAL

Emergency	Without
------------------	---------

PHYSICAL

Supply	Terminal block
Cord length (mm)	9000/3000
Construction material	ABS, Aluminum, Polycarbonate
Weight (kg)	3,2 (x1 AIM)




AIM

designed by R. & E. Bouroullec

Suspended light fitting.

● F0090009	White
● F0090030	Black
● F0090026	Anodized brown


DIMENSIONS



CERTIFICATIONS



IP
20



AIM .Accessories

Electrical



● F0093009

Multiple rose



● F0093030

Multiple rose



● F0093026

Multiple rose



● RF22227

Wall Dimmer




AIM

designed by R. & E. Bouroullec

Suspended light fitting.

- F0090009 White
- F0090030 Black
- F0090026 Anodized brown


DIMENSIONS




CERTIFICATIONS



IP
20



AIM . Lamps



MULTICHIP LED 2700K
1250lm CRI 90 - 16W

Lamp wattage:

16 W

Lamp category:

LED

Socket:

Special base

Color temperature (K):

2700 °K

Lamp type:

LED




AIM

designed by R. & E. Bouroullec

Suspended light fitting.

● F0090009	White
● F0090030	Black
● F0090026	Anodized brown

DIMENSIONS



CERTIFICATIONS



IP
20

