FLOS

CLESSIDRA


Mounting	Wall
Lamps description	2 LED 3000K - 812lm - CRI80 - 10W
Environment	Indoor, Outdoor
Finish	White, Chrome, Dark brown, Dark gray
Technical description	Diffused direct/indirect-light wall lighting device. Body obtained by means of aluminium pressofusion and diffusers in PMMA. Aluminium wall attachment with cover in PA66. Available in white-painted or chrome-plated for indoor version and dark brown-painted or dark gray-painted for outdoor version. High- efficiency lenses specially designed for the application, non- replaceable. Wide range (100-240Volt) power pack integrated in the body. Level IP55

ELECTRICAL

Emergency	Without
Voltage (V)	100/240

PHYSICAL Supply

Supply	Terminal block
Construction material	Aluminum, PMMA
Weight (kg)	1.1







Clessidra

designed by Antonio Citterio


Diffused direct/indirect-light wall lighting device.



DIMENSIONS







FLOS

Clessidra . Lamps



LED 3000K 812Im CRI80 10W

Lamp wattage:

Lamp category:

LED

Color temperature (K): 3000 °K

Lamp type: LED




Clessidra

designed by Antonio Citterio

Diffused direct/indirect-light wall lighting device.




DIMENSIONS



CERTIFICATIONS





www.flos.com info@flos.it